

**electronic**

**NEW**

**EHEIM**  
*professionel 3<sup>e</sup>*



The new benchmark in  
efficient aquarium filtration  
Made in Germany

# EHEIM

professional 3<sup>e</sup>



We have been setting the benchmark in aquarium filtration worldwide for several decades.



The two new models of the EHEIM professional 3<sup>e</sup> open up a whole new world of features – and it's still as quiet as ever!

The tried and tested features of all EHEIM external canister filters: powerful flow rates, large baskets and filter volume, high reliability and the well-known quiet running smoothness are combined in these models with a range of new functions making your aquarium easier than ever to manage.



- 1 Integrated hose adaptor with shut-off tap**  
Makes it easy and safe to disconnect the hoses from the filter.
- 2 Automatic priming aid**  
By pushing the priming button the canister starts to fill automatically, making start-up easy.
- 3 High-tech ceramic shaft and housing**  
Guarantees long service life and very quiet running.
- 4 Large volume pre-filter at top of canister (0.6l.)**  
Collects large waste particles before they enter the body of the filter and is easy to access for cleaning, thus keeping the water cleaner for longer and increasing time between maintenance intervals.
- 5 Large, easy to fill filter baskets**  
2076: 3 baskets  
2078: 4 baskets  
each with 2l. volume

The micro processor controlled, user-friendly electronics offer a range of exciting features to control the functioning of the filter.

2076



# electronic

# NEW



**The micro-processor controlled electronics with touch pad interface – aquarium management at the touch of a button.**



**output control**

### output control

At the touch of a button you can increase or decrease the output to the optimum level for your aquarium.



**constant flow**

### constant flow

Maintains your flow rate setting by automatically monitoring and increasing the output to compensate for filter media blocking.



**stream function**

### stream function

Electronically controls an alternating flow rate creating a wave or stream-like effect.



**12h bio function**

### 12h bio function

You can set up two different flow rates within one day - like a day/night effect. Ideal for planted tanks.



**service indicator**

### service indicator

At the touch of a button the time till the next cleaning interval is displayed by LEDs.



**auto air out**

### auto air out

Air trapped under the pump head is automatically detected and removed via a special programme mode.



**electronic error indicator**

### electronic error indicator

The filter monitors its own functioning constantly. Irregularities are detected and shown in the LED display. At the same time a programme mode starts, which automatically attempts to solve the problem.



On the internet, you will find a film about the new micro processor controlled professional 3<sup>e</sup>. Visit our site at [www.eheim.de](http://www.eheim.de) and choose the English language option.

## Technical Data



**EHEIM**  
professional 3<sup>e</sup>

		2076	2078
For aquariums up to	l	400	700
Pump output	l/h	1650	1850
Delivery head H max_m		2,4	2,6
Canister volume	l	12,5	14,5
Filter volume	l	6 +0,6 (prefilter)	8 +0,6 (prefilter)
Wattage	W	10-35	10-35
Size hxwx d	cm	474 x 264 x 264	534 x 264 x 264
Hose diameter	mm	16/22	16/22

## Recommended filter media set-up

EHEIM coarse filter pad


EHEIM fine filter pad

EHEIM SUBSTRAT<sub>pro</sub>

(2076: 4 l / 2078: 6 l)

EHEIM MECH

(2076: 2 l / 2078: 2 l)



Set of 1 coarse and 4 fine filter pads  
Art. No. 2616760  
for 2076/2078

[www.eheim.de](http://www.eheim.de)

7991620-11.06-GB